

2025

TYPE	Wingspan	WITHOUT Balast		WITH Balast	
		Index	MTOW	Index	MTOW
303 Mosquito	15	103.9	355	105.0	450
Antares 18S	18	113.6	380	120.0	600
Antares 18T	18	116.1	435	120.0	600
Antares 20E	20	121.0	560	122.9	660
Antares 23E	23	124.3	625	127.9	850
Antares 23T	23	122.0	545	127.9	850
Apis 15M	15	96.6	245	96.6	245
Apis 2, Apis/ Bee PG, Apis Elektric, Apis M	15/ 14,8/ 15/ 15	98.3	315, 250, 300, 305	98.3	315, 250, 300, 305
Apis/ Bee M	14.8	100.1	322.5	100.1	322.5
Arcus E	20	115.4	790	117.1	810
Arcus M	20	115.2	720	117.1	800
Arcus S	20	114.4	620	117.1	800
Arcus T	20	114.7	680	117.1	800
AS 33 15m	15	115.3	390	118.2	550
AS 33 18m	18	119.3	400	122.7	600
AS 33 Es 15m	15	116.5	440	118.2	550
AS 33 Es 18m	18	121.2	450	122.7	600
AS 33 Me 15m	15	117.5	495	118.2	550
AS 33 Me 18m	18	121.7	505	122.7	600
ASG-29 15m	15	114.4	375	117.1	525
ASG-29E 15m	15	114.8	422	117.2	550
ASG-29 18m	18	115.5	385	121.3	600
ASG-29E 18m	18	117.3	432	121.3	600
ASG-32	20	116.4	675	117.8	800
ASG-32 EL	20	115.8	780	117.8	800
ASG-32 Mi	20	116.3	750	118.0	850
ASH-25 25m	25	119.5	660	120.6	750 (790 for "Mi")
ASH-25EB, ASH-25E, ASH-25M, ASH-25Mi 25m	25	120.1	733	120.6	750 (790 for "Mi")
ASH-25 25,6m	25.6	121.2	668	122.7	750 (790 for "Mi")
ASH-25E, ASH-25M, ASH-25Mi, 25,6m	25.6	122.2	736	122.7	750 (790 for "Mi")
ASH-25 26m	26	121.5	674	122.9	750 (790 for "Mi")
ASH-25E, ASH-25M, ASH-25Mi 26m	26	122.4	742	122.9	750 (790 for "Mi")
ASH-25EB 27m WL	27	122.9	750	122.9	750
ASH-25EB 28	28	123.9	800	124.0	810
ASH 26	18	113.8	390	118.3	525
ASH 26 E	18	117.5	500	118.3	525
ASH 26 E WL	18	118.0	500	118.8	525
ASH 26 WL	18	114.0	390	118.8	525
ASH 30 Mi	26.5	124.1	800	124.6	850
ASH 31 Mi 18m	18	117.8	550	119.0	630
ASH 31 Mi 21m	21	121.3	560	124.1	700
ASK-13 -Dual	16	77.1	475	77.1	475
ASK-13 -Solo	16	75.4	385	75.4	385
ASK-21 -Dual	17	88.6	545	88.6	545
ASK-21 -Solo	17	87.1	455	87.1	455
ASW-15	15	96.9	318	96.9	318
ASW-15B	15	98.2	352	99.2	408
ASW-15B WL	15	98.8	352	100	408
ASW-17	20	112.7	510	114.2	610
ASW-19, ASW-19B	15	100.3	363	101.2	408
ASW-19 club	15	98.6	350	98.6	350
ASW-20 (A)+L+F 15m	15	106.2	376	107.2	454
ASW-20 (A)+L+F 15m WL	15	106.9	376	108.1	454
ASW-20 B(L) 15m	15	106.9	382	108.2	525
ASW-20 B(L) 15m WL	15	107.6	382	109.1	525
ASW-20 BL 16,59m	16.59	108	380	109.2	430
ASW-20 C(L) 15m	15	106.9	382	107.9	454
ASW-20 C(L) 15m WL	15	107.6	382	108.7	454
ASW-20 CL 16,59m	16.59	108	380	108	380
ASW-20 L +FL 16,6m	16.6	106.7	380	106.7	380
ASW-22 22m	22	115.8	513	120.0	750
ASW-22 24m	24	116.9	520	119.5	650
ASW-22B 25m	25	119.9	561	124.1	750
ASW-22BE 25m	25	121.7	640	124.1	750
ASW-22BL 26,58m	26.58	121.3	605	125.7	810
ASW-22BLE 26,58m	26.58	123.8	710	125.7	810
ASW-22BLE 27m	27	123.9	711	125.7	810
ASW-22M 22m	22	117.8	583	120.0	750
ASW-22M 24m	24	118.2	590	119.5	650
ASW-24("A") (-W/O TN8)	15	103.5	352	106.5	500
ASW-24("A") WL (-W/O TN8)	15	104.2	352	107.5	500
ASW-24("A") (-With TN8), ASW-24B	15	103.8	352	106.9	500
ASW-24("A") WL (-With TN8), ASW-24B WL	15	104.7	352	108.0	500
ASW-24E WL	15	105.5	424	108.0	500
ASW-27B	15	111.5	345	114.2	500
ASW-27B WL	15	112.2	345	115.2	500
ASW 28	15	108.1	330	111.7	525
ASW 28-15, ASW 28-15E	15	109.0	358/ 420	111.5	525
ASW 28-18	15	110.9	373	115.9	525
ASW 28-18E	15	113.2	435	115.9	525
Banjo	13.3	73.8	200	73.8	200
Banjo 2	13.5	82.2	210	82.2	210
Banjo-MH	13.3	76.8	260	76.8	260
Bergfalke I (Mu 13 E) -Dual	17.2	72.9	430	72.9	430
Bergfalke I (Mu 13 E) -Solo	17.2	72.0	340	72.0	340

Bergfalke II (55) -Dual	16.6	73.5	440	73.5	440
Bergfalke II (55) -Solo	16.6	72.6	350	72.6	350
Bergfalke III -Dual	16.6	74.0	455	74.0	455
Bergfalke III -Solo	16.6	73.0	365	73.0	365
Bergfalke III -Cabrio	16.6	71.0	455	71.0	455
Bergfalke IV -Dual	17.2	77.7	480	77.7	480
Bergfalke IV -Solo	17.2	76.5	390	76.5	390
Bergfalke IV -Cabrio	17.2	75.0	480	75.0	480
Centrair C-101 Pegase (unretractable undercarriage)	15	98.9	345	98.9	345
Centrair C-101P Pegase (unretractable undercarriage) (P=WL)	15	99.6	345	99.6	345
Centrair C-101A Pegase	15	101.6	375	103.1	455
Centrair C-101AP Pegase (P=WL)	15	102.3	375	104.1	455
Centrair C-101B Pegase	15	101.6	375	103.5	505
Centrair C-101B Pegase WL	15	102.3	375	104.6	505
Centrair C-101BC Pegase	15	101.4	361	103.9	505
Centrair C-101BC Pegase WL	15	102.3	361	105.1	505
Centrair C-101D Pegase	15	101.4	361	104.7	505
Centrair C-101D Pegase WL	15	102.3	361	105.9	505
Centrair C-201B Marianne	18.54	96.3	620	96.3	620
Cirrus, Cirrus VTC	17.74	99.8	387	101.8	460
Cirrus B 18,34m	18.34	100.2	387	102.3	460
Concordia	28	124.1	580	129.6	850
D-40	15	105.9	370	105.9	370
DG-100, DG-101 G	15	99.1	338	101.1	418
DG-100 Club	15	97.5	333	97.5	333
DG-200 15m	15	104.0	347	105.3	450
DG-200 17m	17	106.2	352	108.1	450
DG-200 17m WL	17	106.7	352	108.8	450
DG-202 15m	15	104.1	352	105.4	480
DG-202 17m	17	106.3	357	108.1	450
DG-202 17m WL	17	106.7	357	108.8	450
DG-300	15	102.0	359	105	525
DG-300 Club ELAN	15	100.5	352	103.1	500
DG-300 Club ELAN WL	15	101.2	352	104	500
DG-300 WL	15	102.9	359	106	525
DG-400 15m	15	104.5	406	105.1	480
DG-400 17m	17	107.7	410	108.5	460
DG-500 22m	22	111.3	635	113.1	750
DG-500M 22m	22	113.0	750	113.7	825
DG-500 Elan Trainer, DG-505 (fix gear)	18	100.3	580	100.8	615
DG-600 15m WL	15	108.1	360	110.1	525
DG-600M 15m WL	15	108.4	420	110.1	525
DG-600 17m	17	111.7	365	115.7	525
DG-600M 17m	17	113.3	425	115.7	525
DG-600 18m WL	18	112.3	368	116.1	480
DG-600M 18m WL	18	114.6	428	116.1	480
DG-800 A, DG-800 B 18m	18	116.2	455	117.6	525
DG-800 A, DG-800 B, DG-800 LA 15m	15	113.3	450	114.0	525
DG-800 A, DG-800 B, DG-800 LA 15m WL	15	114.1	450	114.8	525
DG-800 A, DG-800 B, DG-808 C Clasic 18m WL	18	116.8	455	118.4	525
DG-800 A, DG-800 B, DG-800 LA 18m	18	116.2	455	114.0	525
DG-800 LA 18m	18	116.2	455	116.9	480
DG-800 LA 18m WL	18	116.8	455	117.5	480
DG-800 S 15m	15	111.8	368	114.9	525
DG-800 S 18m	18	113.1	372	118.2	525
DG-800 S 18m WL	18	113.3	372	119.0	525
DG-808 C Clasic, DG-808 C Competition 15m WL	15	112.3	368 (450 for "C")	115.1	525 (540 Competit.)
DG-808 C Competition 18m WL	18	113.3	372	119.9	600
DG-800 S, DG-808 S Clasic 15m WL	15	112.3	368 (450 for "C")	115.7	525
DG-808 S Clasic 18m WL	18	113.3	372	119.4	600
DG-808 S Competition 15m WL	15	112.3	368 (450 for "C")	115.9	570
DG-808 S Competition 18m WL	18	113.3	372	120.1	600
DG-1001 Club 18m	18	101.8	590	103.0	750
DG-1001 Club 18m WL	18	103.0	590	104.4	750
DG-1000S 18m	18	104.5	590	106.0	750
DG-1001S 18m	18	104.5	590	106.0	750
DG-1000S 20m	20	106.8	590	109.4	750
DG-1001M 20m	20	107.6	720	109.4	750
DG-1001S 20m	20	106.8	590	109.4	750
DG-1001T 20m	20	107.8	660	109.4	750
DG-1001TE 20m	20	107.7	715	109.4	750
Diana 3	18	117.3	397	122.0	600
Diana 3 FES	18	117.3	442	119.8	600
Discus 2a 15m	15	108.8	332	112.6	525
Discus 2b, Discusc 2c 15m	15	108.6	342	111.8	525
Discus 2T 15m	15	109.4	390	111.8	525
Discusc 2c FES 15m	15	107.3	425	108.1	525
Discusc 2c 18m	18	111.6	376	116.3	565
Discus 2T 18m	18	112.9	410	116.3	565
Discusc 2c FES 18m	18	111.8	435	114.1	565
Discus a	15	105.0	354	109.2	525
Discus a WL	15	105.5	354	110.2	525
Discus b, Discus CS	15	103.6	352	107.9	525
Discus b WL, Discus CS WL	15	104.4	352	109.0	525
Discus bt	15	104.6	384	107.1	450
Discus bt WL	15	105.7	384	108.2	450
DuoBanjo -Dual	16	76.5	445	76.5	445
DuoBanjo -Solo	16	76.0	355	76.0	355
Duo Discus	20	109.5	610	111.0	700
Duo Discus T	20	109.8	667	111.5	750

Duo Discus X, Duo Discus WL	20	110.3	600	112.1	700
Duo Discus XL	20	110.2	600	112.5	750
Duo Discus XLT	20	110.9	677	112.5	750
Duo Discus T WL, Duo Discus XT	20	111.0	657	112.7	750
EB-28	28	123.3	770	124.4	850
EB-28 edition 25,3m	25.3	123.9	756	124.9	850
EB-28 edition 28,3m	28.3	124.1	760	125.3	850
EB-29 25,3m	25.3	125.7	673	128.2	850
EB-29 28,3m	28.3	125.2	677	128.2	850
EB-29 29,3m	28.3	124.7	680	128.2	850
EB-29D 25,3m	25.3	126.1	780	126.5	850
EB-29D 28,3m	28.3	125.7	790	126.8	850
EB-29DE 25,3m	25.3	126.3	850	126.7	900
EB-29DE 28,3m	28.3	126.6	850	127.1	900
EB-29DR	28	127.3	783	128.2	850
EB-29R	28	127.0	670	129.8	850
EoN Olympia IIb	15	71.1	290	71.1	290
ETA	30.9	125.1	850	125.1	850
GP 14 E Velo	13.5	109.8	245	112.4	425
GP 14 SE Velo	13.5	110.6	245	113.8	425
GP 15 E Jeta	14.97	114.6	280	118.6	465
GP 15 SE Jeta	14.97	116.1	280	120.2	465
Grunau Baby IIb	13.57	51.1	250	51.1	250
G-102 Astir cs	15	95.1	364	96.2	450
G-102 Astir cs 77	15	95.5	360	96.8	450
G-102 Astir Jeans	15	94.3	369	94.3	369
G-102 Astir Std II, G-102 Astir Std III	15	95.3	370	96.2	450
G-103 Twin Astir -Dual	17.5	92.3	600	92.6	650
G-103 Twin Astir -Solo	17.5	91.9	510	93.1	650
G-103 Twin Basic -Dual	17.5	92.3	600	92.3	600
G-103 Twin Basic -Solo	17.5	91.7	510	91.7	510
G-103 Twin Trainer -Dual (fix gear)	17.5	91.4	600	91.4	600
G-103 Twin Trainer s-Solo (fix gear)	17.5	90.9	510	90.9	510
G-103 Twin III -Dual (fix gear)	18	95.4	600	95.4	600
G-103 Twin III -Solo (fix gear)	18	94.2	600	94.2	510
G-103 Twin III SL -Dual	18	94.9	670	94.9	670
G-103 Twin III SL -Solo	18	94.5	580	94.5	580
G-103 Twin III W -Dual	20	96.5	600	96.5	600
G-103 Twin III W -Solo	20	94.3	510	94.3	510
G-104 Speed Astir II	15	102.6	376	104.3	515
G-104 Speed Astir II b	15	102.5	380	104.0	515
G 109, G 109A	16.6	68.3	820	68.3	850
G 109B, G 109B Vigilante T1	17.4	71.9	820/ 830	71.9	850/ 908
H36 Dimona 16,0m, HK36(R, ...) SuperDimona 16,6m... all versions (770 kg)	16,0/16,6	68.9	770	68.9	770
H-201 Std. Libelle	15	95.2	275	95.2	275
H-201 Std. Libelle WL	15	95.7	275	95.7	275
H-201b Std. Libelle	15	96.1	295	97.5	350
H-201b Std. Libelle WL	15	96.6	295	98.3	350
H-205 Club Libelle	15	94.2	315	94.2	315
H-206 Hornet	15	99.2	345	100.6	420
H-206 Hornet C	15	99	325	101.0	450
H-206 Hornet WL	15	99.8	345	101.1	420
H-301 Libelle, H-301b Libelle	15	99.8	280	100.5	300
H-301 Libelle WL, H-301b Libelle WL	15	100.5	280	101.4	300
HpH 304c Wasp	15	101.7	353	105.3	450
HpH 304cz 15m	15	105.6	355	107.3	450
HpH 304cz 17,4m	17.43	107.7	365	109.7	450
HpH 304ES SHARK 18m	18	111.7	445	114.5	600
HpH 304JS SHARK 18m	18	113.6	455	116.7	600
HpH 304MS SHARK 18m	18	113.8	465	116.7	600
HpH 304S SHARK 18m	18	111.4	400	116.7	600
HpH 304 TS Twin Shark MS	20	115.9	701	117.6	800
HpH 304 TS Twin Shark S	20	115.6	630	117.6	800
IS28B2 -Dual	17	84	590	84	590
IS28B2 -Solo	17	83	520	83	520
IS29D2	15	96	360	96	360
Janus, Janus b -Dual	18.2	100	575	100.1	575
Janus, Janus b -Solo	18.2	99.4	485	100.1	575
Janus C	20	102.8	565	104	700
Janus C (FG) (fix gear)	20	102.2	565	103.2	700
Janus CM	20	103.3	680	104	700
Janus CM (FG) (fix gear)	20	102.6	680	103.2	700
Janus CT	20	103.2	650	104	700
Janus CT (FG) (fix gear)	20	102.6	650	103.2	700
Janus M -Dual	18.2	100.1	620	100.1	575
Janus M -Solo	18.2	100.1	530	100.1	575
JS1-A 18, JS1-B 18, JS1-C 18	18	116.3	405	121.1	600
JS1-BTJ 18, JS1-CTJ 18	18	118.3	465	121.1	600
JS1-C 18 EVO	18	116.9	405	121.6	600
JS1-CTJ 18 EVO	18	118.8	465	121.6	600
JS1-C 21	21	120.8	425	127.7	720
JS1-CTJ 21	21	123.5	485	127.7	720
JS3 15m	15	115.6	345	118.2	525
JS3 RES 15m (W/O engine battery)	15	116.0	377	118.2	525
JS3 RES 15m (With 1 engine battery)	15	116.1	402	118.2	525
JS3 RES 15m (With 2 engine batteries)	15	116.2	427	118.2	525
JS3 TJ - 15m	15	116.0	377	118.2	525
JS3 18m	18	117.9	375	122.7	600
JS3 RES 18m (W/O engine battery)	18	119.0	407	122.7	600
JS3 RES 18m (With 1 engine battery)	18	119.9	432	122.7	600

JS3 RES 18m (With 2 engine batteries)	18	120.1	457	122.7	600
JS3 TJ 18m	18	119.0	407	122.7	600
Ka-1, (K-1)	10	56.0	185	56.0	185
Ka-6, Ka-6A	14.4	78.9	295	78.9	295
Ka-6B, Ka-6BR, Ka-6CR	15	79.3	300	79.3	300
Ka-6E	15	79.8	310	79.8	310
K-7 dvoji	16	74.9	460	74.9	460
K-7 sólo	16	73.5	380	73.5	380
K-8	15	70.7	280	70.7	280
KKB 15	15	107.6	340	111.1	500
KKB 15E-FES	15	106.8	375	108.8	500
KKB 18	18	110.4	350	116.1	500
KKB 18E-FES	18	110.5	381	114.1	500
L-13 B Bačostroji	16.2	57.7	487	57.7	487
L-13 Blaník, L-23-Super Blaník -Dual	16.2	76.0	472 /490	76.0	472 /490
L-13 Blaník, L-23-Super Blaník -Solo	16.2	75.0	382 /400	75.0	382 /390
L-13 SE Vivat	16.8	54.4	690	54.4	690
L-13 SW Vivat	16.8	54.7	676	54.7	676
L-21 Spartak	18	87.2	400	88.7	480
L-23 Super Blaník 18,2m -Dual	16.2	78.6	495	78.6	495
L-23 Super Blaník 18,2m -Solo	18.2	77.1	405	77.1	405
L-33 Sólo	14.12	85.9	305	85.9	305
LAK 12	20.42	109.4	460	114.4	650
LAK 17A 15m	15	112.0	337	114.9	500
LAK 17A 15m WL	15	112.6	337	115.9	500
LAK 17AT 15m	15	112.4	380	114.9	500
LAK 17AT 15m WL	15	113.3	380	115.9	500
LAK 17A FES 15m	15	110.7	396	111.8	500
LAK 17A FES 15m WL	15	111.7	396	113.0	500
LAK 17A 18m	18	113.7	342	118.2	500
LAK 17A 18m WL	18	114.2	342	119.2	500
LAK 17AT 18m	18	115.4	386	118.2	500
LAK 17AT 18m WL	18	116.2	386	119.2	500
LAK 17A FES 18m	18	114.3	401	116.2	500
LAK 17A FES 18m WL	18	115.0	401	117.1	500
LAK 17B 15m	15	113.5	350	116.6	525
LAK 17B 18m	18	114.7	360	120.4	600
LAK 17BT 15m	15	113.9	402	116.6	525
LAK 17BT 18m	18	116.8	412	120.4	600
LAK 17B FES 15m	15	112.2	404	113.6	525
LAK 17B FES 18m	18	115.4	414	118.3	600
LAK 17B 21m	21	118.0	385	124.7	600
LAK 17BT 21m	21	120.4	437	124.7	600
LAK 17B FES 21m	21	118.4	425	122.7	600
LAK 17B mini	13.5	106.4	294	108.1	350
LAK 17B mini FES	13.5	104.4	335	104.8	350
LAK 17BT mini	13.5	106.6	346	106.7	350
LAK 19 15m	15	107.9	328	109.7	500
LAK 19 15m WL	15	109.1	328	111.2	500
LAK 19T 15m	15	107.6	371	109.7	500
LAK 19T 15m WL	15	108.8	371	111.2	500
LAK 19 FES 15m	15	105.8	387	105.8	500
LAK 19 FES 15m WL	15	106.4	387	107.1	500
LAK 19 18m	18	111.5	500	115.1	500
LAK 19 18m WL, LAK 19 FES 18m WL	18	112.1	500	116.0	500
LAK 19 T 18m	18	112.6	500	115.1	500
LAK 19 T 18m WL	18	113.6	500	116.0	500
LAK 19 FES 18m WL	18	111.3	500	113.7	500
LAK 20T 23m	23	119.4	745	120.3	825
LAK 20T 26m	26	121.7	751	122.5	850
LF(LG)-109 Pioneer-Dual	13.42	53.7	433	53.7	433
LF(LG)-109 Pioneer-Solo	13.42	53.1	343	53.1	343
LG-130 Godfather -Double	16	65.4	445	65.4	445
LG-130 Godfather -Solo	16	64.6	355	64.6	355
L-Spatz 55	15	70.9	269	70.9	269
LS-1-0, LS-1a, LS-1b, LS-1c	15	97.7	309	97.7	309
LS-1d	15	97.7	321	97.7	321
LS-1f, LS-1f (45)	15	100.3	351	101.6	439
LS-1f neo	15	101.0	351	101.8	390
LS-3 15m	15	103.6	362	105.2	472
LS-3 15m WL	15	104.2	362	106.2	472
LS-3 17m	17	105.3	350	105.3	350
LS-3a 15m	15	103.1	345	104.9	472
LS-4	15	102.6	365	104.9	472
LS-6	15	110.2	355	112.1	525
LS-6a, LS-6c 15m	15	110.4	360	113.0	525
LS-6b	15	110.6	365	113.0	525
LS-6c 15m WL	15	111.2	359	113.9	525
LS-6c 17,5m	17.5	112.9	378	116.3	525
LS-6c 18m WL	18	113.7	380	117.8	525
LS-7	15	103.5	340	105.4	486
LS-7WL	15	104.2	340	106.3	486
LS-8, LS-8a, LS-8b, LS-8s, LS-8-18 15m	15	108.7	355	111.7	525
LS-8t, LS-8st 15m	15	109.5	400	111.7	525
LS-8e neo 15m	15	108.6	420	109.6	525
LS-8 neo 15m	15	109.8	370	112.3	525
LS-8e neo 18m	18	113.1	430	114.9	575
LS-8b, LS-8-18 18m	18	110.5	350	116.1	525
LS-8s 18m	18	111.5	370	116.5	575
LS-8st, LS-8t 18m	18	113.3	410	116.1	525

LS-8 neo 18m	18	112.8	380	117.1	575
LS-10s 15m	15	111.3	385	114.2	540
LS-10s 18m	18	114.5	396	119.6	600
LS-10st 15m	15	112.1	434	114.2	540
LS-10st 18m	18	116.4	445	119.6	600
M-25	15	80.2	333	80.2	333
M-28	18	83.6	355	83.6	355
M-35	15	88.8	345	88.8	345
Mini-Nimbus, Mini-Nimbus b	15	103.5	327	105.5	450
Mini-Nimbus c	15	103.1	317	105.6	500
Mistral C	15	95.2	330	95.2	330
Neukom S4 Elfe 15A	15	96.6	360	96.6	370
Neukom S4 Elfe 17A	17	100.0	355	100.0	380
Nimbus 2, Nimbus 2b	20.3	112.1	484	114.0	580
Nimbus 2 WL, Nimbus 2b WL	20.3	112.7	484	114.6	580
Nimbus 2c	20.3	110.8	445	114.2	650
Nimbus 2c WL	20.3	111.2	445	114.9	650
Nimbus 2M	20.3	113.7	566	114.0	580
Nimbus 2M WL	20.3	114.3	566	114.6	580
Nimbus 3 22,9m	22.9	116.6	500	120.4	750
Nimbus 3 22,9m WL	22.9	116.9	501	121.1	750
Nimbus 3 24,5m	24.5	117.8	508	121.9	750
Nimbus 3 24,5m WL	24.5	118.0	508	122.5	750
Nimbus 3T 24,5m	24.5	119.5	681	121.8	750
Nimbus 3T 24,5m WL	24.5	120.0	591	122.5	750
Nimbus 3T 25,5m	25.5	120.6	683	122.9	750
Nimbus 3D 24,6m	24.6	119.2	708	120.0	750
Nimbus 3D 25,6m	25.6	120.2	710	120.7	750
Nimbus 3DM 24,6m	24.6	120.0	818	120.0	820
Nimbus 3DM 25,6m	25.6	121.1	820	121.1	820
Nimbus 3DT 24,6m	24.6	119.9	793	119.9	800
Nimbus 3DT 25,6m	25.6	121.0	795	121.1	800
Nimbus 4	26.4	118.7	570	125.4	800
Nimbus 4M	26.4	122.9	700	125.3	800
Nimbus 4T	26.4	122.5	685	125.3	800
Nimbus 4D	26.5	121.2	710	123.1	800
Nimbus 4DM	26.5	122.5	800	122.9	820
Nimbus 4DT	26.5	122.3	775	123.0	800
NimetaX	30.9	126.1	770	128.1	850
Phoebus A1	15	94.0	330	94.0	330
Phoebus B1	15	95.2	337	95.2	337
Phoebus B3	15	98.8	365	98.8	365
Phoebus C	17	97.1	355	97.1	355
Pik-20B	15	101.2	352	102.7	450
Pik-20D	15	101.5	330	103.3	450
PW-5, PW-5 Smyk	13.44	84.7	276	84.7	276
PW-6U -Dual	16	84.2	535	84.2	535
PW-6U -Solo	16	83.3	445	83.3	445
Quintus M	23	123.7	615	127.9	850
S 12 Sagglita	11	86.1	235	86.1	235
SF 27A	15	85.7	305	85.7	305
SF 27MA	15	86.5	330	86.5	330
SF-34 Delphin -Dual	15.8	85.2	510	85.2	510
SF-34 Delphin -Solo	15.8	84.6	420	84.6	420
Schweizer 1-26, Schweizer 1-26A	12.2	66.4	250	66.4	250
Schweizer 1-26B, Schweizer 1-26C	12.2	66.6	262	66.6	262
Schweizer 1-26D, Schweizer 1-26E	12.2	66.7	292	66.7	292
Schweizer 1-36 Sprite	14	80.5	305	80.5	305
Schweizer 2-32, Schweizer 2-32A -Dual	17.37	82.4	580	82.4	580
Silent 2	13	89.0	215	89.0	215
Silent 2 Elektro	13.2	93.7	300	93.7	300
Silent 2 TARGA	13.3	92.6	260	92.6	260
STEMME S 10-VT 23m	23	113.2	850	113.2	850
Std. Cirrus	15	98.8	337	100.2	390
Std. Cirrus TOP	15	98.4	373	98.7	390
Std. Cirrus WL	15	99.8	337	100.1	350
Std. Cirrus 16m	16	100.1	337	100.6	350
SZD-9 Bocian A, B, C, D, E	18.1	75.1	520	75.1	520
SZD-22A Mucha Standard, SZD-22B Mucha Standard, SZD-22C Mucha Standard	14.98	79.0	326	80.1	383
SZD-23 Foka 4A	14.98	89.1	340	89.1	340
SZD-30 Pirat	15	81.0	350	81.0	350
SZD-32 Foka 5	14.98	90.2	351	90.2	351
SZD-36 Cobra 15	15	96.3	375	96.3	375
SZD-38 Jantar 1	19	108.1	400	110.5	515
SZD-41A Jantar std.	15	99.6	369	101.1	460
SZD-41A Jantar std. WL	15	100.3	369	102.1	460
SZD-42 Jantar 2, SZD-42 Jantar 2A	20.5	110.2	460/460/470	113	649
SZD-42 Jantar 2B	20.5	110.2	460/460/470	114	649
SZD-48 BRAWO	15	99.5	360	101.9	490
SZD-48 Jantar std. 2, SZD-48 Jantar std. 3	15	100.1	387	101.5	535
SZD-48 Jantar std. 2 WL, SZD-48 Jantar std. 3 WL	15	100.9	387	102.7	535
SZD-50-3 Puchacz -Dual	16.67	83.8	550	83.8	550
SZD-50-3 Puchacz -Solo	16.67	82	460	82.0	460
SZD-51-1 Junior	15	91	330	91.0	330
SZD-54-2 Perkoz 17,5m -Dual	17.5	99.2	550	99.2	550
SZD-54-2 Perkoz 17,5m -Solo	17.5	97.2	460	97.2	460
SZD-54-2 Perkoz 20m -Dual	20	101.2	565	101.2	565
SZD-54-2 Perkoz 20m -Solo	20	98.3	475	98.3	475
SZD-55 Promyk	15	103.4	312	107.9	500
SZD-56-1 Diana	15	110.5	272	114.4	410

SZD-56-2 Diana-2	14.94	113.2	282	118.7	500
SZD-56-2 Diana-2 FES	14.94	113.7	322	116.6	500
SZD-56-2 Diana-2 vers VS 13,5m	13.5	109.1	282	112.1	500
SZD-56-2 Diana-2 vers VS 13,5m FES	13.5	107.6	322	108.7	500
T-59A Kestrel 17m, Glasflugel 401	17	105.6	350	107.4	400
T-59D Kestrel 19m	19	109.1	426	110.4	472
Taurus model 503 -Dual	14.97	94	472.5	94.0	472.5
Taurus model 503 -Solo	14.97	94	382.5	94.0	382.5
Terej	13.5	88.3	275	88.3	275
TST-1 Alpin 12,0m - (first production)	12	76.5	225	76.5	225
TST-1 Alpin 12,4m - (later production)	12.4	76.9	230	76.9	230
TST-1 Alpin 13,25m - (later production)	13.25	78.8	235	78.8	235
TST-3 Alpin T 13,4m	13.4	80.5	230	80.5	230
TST-3 Alpin T 13,8m	13.8	81.5	230	81.5	230
TST-3 Alpin TL 13,8m	13.8	80.8	220	80.8	220
TST-3 Alpin TM 13,0m	13	80.8	300	80.8	300
TST-3 Alpin TM 13,8m	13.8	83.1	265	83.1	265
TST-8 Alpin DM -Dual	15.5	80.8	450	80.8	450
TST-8 Alpin DM -Solo	15.5	80.3	360	80.3	360
TST-10 Atlas	15	93.1	300	93.1	300
TST-10M Atlas	15	93.8	322	93.8	322
TST-14 Bonus -Dual	17	90.5	470	90.5	470
TST-14 Bonus -Solo	17	90.1	380	90.1	380
Tukan D10 -Dual	14.7	62.3	410	62.3	410
Tukan D10 -Solo	14.7	61.5	320	61.5	320
Ventus 2a 15m	15	112.1	338 / 353	117.1	525
Ventus 2c 15m	15	112.1	338 / 353	116.3	525
Ventus 2b 15m	15	111.7	343	116.3	525
Ventus 2cm 15m	15	113.3	395	115.9	525
Ventus 2ct 15m	15	113.5	410	115.7	525
Ventus 2cx 15m	15	113.3	395	116.3	525
Ventus 2cxa 15m	15	112.3	358	116.3	525
Ventus 2cxaJ 15m	15	113.5	403	116.3	525
Vemtus 2cxt, Ventus 2cxm 15m	15	114.1	435 / 455	116.3	525
Ventus 2cxa FES 15m	15	111.0	383	113.6	525
Ventus 2c 18m	18	113.3	373	119.1	525
Ventus 2cm 18m	18	117.0	467	120.1	600
Ventus 2ct 18m	18	115.9	427	120.3	600
Ventus 2cx 18m	18	115.2	415	120.2	600
Ventus 2cxa 18m	18	114.6	395	120.5	600
Ventus 2cxaJ 18m	18	116.3	440	120.5	600
Ventus 2cxt 18m	18	116.7	455	120.2	600
Ventus 2cxm 18m	18	117.8	495	120.2	600
Ventus 2cxa FES 18m	18	114.1	420	118.6	600
Ventus 3, Ventus 3T 15m	15	116.4	395 / 455	118.4	525
Ventus 3F 15m	15	114.2	445	115.0	525
Ventus 3 18m	18	117.2	400	122.5	600
Ventus 3F 18m	18	117.7	450	120.5	600
Ventus 3M 18m	18	119.8	490	122.5	600
Ventus 3T 18m	18	119.4	460	122.5	600
Ventus a 15m	15	110.2	332	112.7	525
Ventus a 15m WL	15	111.1	332	114.1	525
Ventus a 16,6m	16.6	111.9	337	114.4	430
Ventus a 17,6m	17.6	112.9	339	115.6	430
Ventus b 15m	15	109	337	111.6	525
Ventus b 15m WL	15	110	340	112.7	525
Ventus b 16,6m	16.6	111.5	342	113.9	430
Ventus b 16,6m WL	16.6	112.1	342	114.7	430
Ventus b 17,6m	17.6	112.3	344	114.9	430
Ventus bt 15m	15	110.1	388	110.9	430
Ventus bt 15m WL	15	111	388	111.9	430
Ventus bt 16,6m	16.6	113	393	114.0	430
Ventus bt 16,6m WL	16.6	113.7	393	115.0	430
Ventus c 15m WL	15	110.6	349	114.1	525
Ventus c 17,6m	17.6	112.9	354	117.1	500
Ventus c 17,6m WL	17.6	113.4	354	117.8	500
Ventus cm 15m WL	15	111.7	415	112.1	430
Ventus cm 17,6m	17.6	115.3	418	115.6	430
Ventus cm 17,6m WL	17.6	116.0	418	116.3	430
Ventus ct 15m WL	15	111.8	400	112.4	430
Ventus ct 17,6m	17.6	115.1	408	115.7	430
Ventus ct 17,6m WL	17.6	115.7	408	116.4	430
VIVA -Dual	17	92.5	472.5	92.5	472.5
VIVA -Solo	17	92.2	400	92.2	400
VSB-62 Vega	18.5	87.5	486	87.5	486
VSO-10	15	95.6	362	95.6	362
VSO-10 C	15	94.6	366	94.6	366
VSM-40 Démant	18	84.1	380	85.4	440
VT-16 Orlik	16	80.4	335	80.4	338
VT-116 Orlik II	16	81.2	335	81.2	335
VT-125 Šohaj 2, LG-125 Šohaj 2	15	74.8	293	74.8	293
VT-425 Šohaj 3, LK-425 Šohaj 3	15	74.0	332	74.0	332
Z-24 Krajánek	12.12	57.3	231	57.3	231
Z-25 Šohaj	15	75.3	285	75.3	290